

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A mobile communication device, comprising:
a memory configured to store code and data[[, and]];
a display[[,]]; and
a transceiver,
wherein the mobile communication device ~~configured to display a message on the~~
~~display~~ displays a new message when ~~whenever~~ the mobile communication device is
powered on and while the mobile communication device is refreshing the memory,
the new message is responsive to a user input, and
the mobile communication device periodically, at least once per a predetermined
period, receives an automated download of the new message through the transceiver.

Claims 2 (Canceled).

Claim 3 (Currently Amended): The mobile communication device of claim 1, further
comprising a user interface,
wherein the mobile communication device is configured to accept the user input
through the user interface, and
~~wherein~~ the user input is used to select and/or construct the message.

Claim 4 (Currently Amended): The mobile communication device of claim 1,
wherein the new message is a horoscope.

Claim 5 (Currently Amended): The mobile communication device of claim 1, wherein the new message is a fortune.

Claim 6 (Currently Amended): The mobile communication device of claim 1, wherein the new message is a comic strip.

Claim 7 (Currently Amended): A server, comprising:
a message database, ~~the message database~~ configured to store a plurality of messages,
wherein the server ~~configured to automatically download~~ periodically, at least once
per a predetermined period, transmits an automated download of a new message ~~one of the~~
~~plurality of messages~~ to a mobile communication device ~~each day~~ configured to display the
new message,
the new message is responsive to user input, and
the new message is displayed when the mobile communication device is powered on
and while the mobile communication device is refreshing memory.

Claim 8 (Canceled).

Claim 9 (Currently Amended): The server of claim ~~[[1]]~~ 7, wherein the new message is a horoscope.

Claim 10 (Currently Amended): The server of claim ~~[[1]]~~ 7, wherein the new message is a fortune.

Claim 11 (Currently Amended): The server of claim [[1]] 7, wherein the new message is a comic strip.

Claim 12 (Currently Amended): A wireless communication system, comprising:
a server, ~~comprising~~ including a message database, ~~the message database~~ configured to store a plurality of messages; and

a mobile communication device, ~~the mobile communication device~~ including[[:]],

a transceiver ~~configured to receive a downloaded message from the server,~~

a memory, and

a display,

wherein the mobile communication device ~~configured to display the downloaded message on the display whenever~~ displays a new message when the mobile communication device is powered on and while the mobile communication device is refreshing the memory[[:]],

the new message is responsive to a user input, and

the server configured to automatically download periodically, at least once per a predetermined period, transmits an automated download of one of the plurality of messages to the mobile communication device ~~each day~~.

Claim 13 (Currently Amended): The wireless communication system of claim 12, wherein the mobile communication device further comprises a user interface, [[and]]

wherein the mobile communication device is configured to accept the user input through the user interface and to communicate the user input to the server via the transceiver.

Claim 14 (Currently Amended): The wireless communication system of claim 13, wherein the server is configured to use the user input to select and/or construct the new message downloaded to the mobile communication device each day.

Claim 15 (Currently Amended): A mobile communication device, comprising:
[[a]] storage means for storing code and data[, and];
[[a]] display means for displaying a new message [,]; and
transceiver means for transmitting/receiving the new message and user input,
wherein the mobile communication device configured to display a message
displays the new message on the display means ~~whenever~~ when the mobile communication device is powered on and while the mobile communication device is refreshing the storage means,
the new message is responsive to the user input, and
the mobile communication device periodically, at least once per a predetermined period, receives an automated download of the new message through the transceiver means.

Claim 16 (Canceled).

Claim 17 (Currently Amended): The mobile communication device of claim 15, further comprising [[an]] input means for inputting user input,
wherein the mobile communication device is configured to accept the user input through the input means, and
~~wherein~~ the user input is used to select and/or construct the new message.

Claim 18 (Currently Amended): A server, comprising:

[[a]] storage means for storing a plurality of new messages ~~the server configured to automatically download one of the plurality of messages to a mobile communication device each day; and~~

transmission means for periodically transmitting, at least once per a predetermined period, an automated download of a new message to a mobile communication device configured to display the new message,

wherein the new message is responsive to user input, and

the new message is displayed when the mobile communication device is powered on and while the mobile communication device is refreshing memory.

Claim 19 (Currently Amended): The server of claim 18, wherein the server is configured to receive information about a user of the mobile communication device and to use the information to select and/or construct the new message downloaded to the mobile communication device each day.